



## HYDROGEOLOGIC DATABASE Chemical Analysis

### Sample Results Color Code Legend

Sample Exceeds None Secondary MCL  
Primary



Owner Name: **Jon Stoneman**

Well Key: **378**

Site Type: **Well**

TRS: **31N/02E-10A**

PWS Name: **Saratoga Passage Estates Assn**

DOH PwsID: 53527

DOH Source #: **1**

		Bicarbonate			Conductivity		Hardness								Turbidity		
Source	Date	Alk	As		Ca	Cl		Fe		K	Mg	Mn	Na	NO3	SO4		TDS
DOH	7/17/2000													< 0.5			
DOH	3/15/2004													< 0.5			
DOH	5/15/2006		0.0106														
DOH	8/14/2006													< 0.2			

### Select Summary Statistics

Avg As:	0.011	Avg Cl:		Avg Hardness:		Avg NO3:	0.20
Median As:	0.0106	Median Cl:		Median Hardness:		Median NO3:	0.25
Max As:	0.0106	Max Cl:		Max Hardness:		Max NO3:	0.25

Bacteria Samples (distribution): 75 sample(s)

Disclaimer: Data presented has been collected from a variety of sources. Island County makes no guarantee as to the validity or accuracy of this data.  
Please report any errors to the Island County Hydrogeologist.

Generated by the Island County Hydrogeologic Database

4 records printed on 9/13/2019

Note: Items with blue frames and blue text are clickable hyperlinks to additional information / resources.

Parameter labels with a red fill color are exhibiting an increasing trend, and those with a green fill color are exhibiting a decreasing trend.